



MEDICAL ACRONYM DICTIONARY

*Don't waste time researching
acronyms — get MAD!
(Medical Acronym Dictionary)*

Presented by



Acronym Dictionary from AAA to ZIFT

If you've grown tired of trying to track down your physician to find out what TLIF or PNB stands for, we've got the solution. Our editors have compiled the following list of commonly used medical acronyms as a reference for busy medical practices. Although this list may not include every acronym that your physician documents, it should help make coding a little easier for you when billing and coding medical claims.

A			
AAA	abdominal aortic aneurysm	ALA	aminolevulinic acid
AAROM	active assistive range of motion	ALL	acute lymphocytic leukemia
AB	abortion	ALP	alkaline phosphatase
ABE	acute bacterial endocarditis	ALS	advanced life support
ABG	arterial blood gases	AMA	against medical advice, or advanced maternal age
ABN	abnormal, or advance beneficiary notice	AODM	adult-onset diabetes mellitus
a.c.	before eating	A&P	auscultation and percussion
AC	acromioclavicular joint, or abdominal circumference	Ap	apical
ACDF	anterior cervical disectomy with fusion	AP	anterior posterior, anteroposterior, or antepartum
ACI	autologous chondrocyte implantation	APB	abductor pollicis brevis
ACL	anterior cruciate ligament	APC	argon plasma coagulator
ACLS	advanced cardiac life support	APL	abductor pollicis longus
Acq.	acquired	AQ	water
ACS	acute coronary syndromes	AR	acid reflux
ACTH	adrenocorticotrophic hormone	ARF	acute renal failure
ACVD	acute cardiovascular disease	AROM	artificial rupture of membranes
ADD	attention deficit disorder	ASC	ambulatory surgery center
ADH	antidiuretic hormone	ASCUS	atypical squamous cells of undetermined significance
ADHD	attention deficit hyperactivity disorder	ASD	arthroscopic subacromial decompression, or atrial septal defect
ADL	activities of daily living	ASIS	anterior superior iliac spine
AF	atrial fibrillation	AST	aspartate aminotransferase
AFI	amniotic fluid index	ATL	Achilles tendon lengthening
A fib	atrial fibrillation	ATP	adenosine triphosphate
AFP	alpha-fetoprotein	AVB	atrioventricular block
AGA	appropriate for gestational age	AVF	arteriovenous fistula
AI	aortic insufficiency	AVM	arteriovenous malformation
AID	artificial insemination with donor sperm	AVN	avascular necrosis
AIDH	artificial insemination with husband's sperm	AVNRT	atrioventricular nodal re-entrant tachycardia
AIDS	acquired immunodeficiency syndrome	AVR	aortic valve replacement
AKA	above-knee amputation	AVRT	atrioventricular, or arteriovenous
AL	artificial larynx	AZT	azidothymidine

B

BA	breast augmentation
B&B	bowel and bladder
BBOW	bulging bag of water
BCC	basal cell carcinoma
BCP	birth control pill
BE	barium enema, or below the elbow
BHCG	beta human chorionic gonadotropin
BI	biopsy
BID	two times a day
BKA	below-knee amputation
BLEPH	eyelid surgery
BM	bowel movement
BMI	body mass index
BMR	basal metabolic rate
BMT	bone marrow transplant
BP	blood pressure
BPD	biparietal diameter, or bronchopulmonary dysplasia
BPH	benign prostatic hypertrophy
BPM	beats per minute
BPP	biophysical profile
Br	breast feeding
BR	brachioradialis
BRM	bilateral radical mastectomy
BS	breath or bowel sounds
BSD	bedside drainage
BSE	breast self-exam
BSO	bilateral salpingo-oophorectomy
BSA	body surface area
BTB	bone tendon bone autograft
BUN	blood urea nitrogen
BUS	Bartholin, urethral, Skene's
BV	bacterial vaginosis
Bx	biopsy

C

Ca	calcium, or cancer
CA	coronary artery
CABG	coronary artery bypass graft
CAD	coronary artery disease
CAT	computed axial tomography
Cath	catheterize
CBC	complete blood count
CBR	complete bed rest
CC	chief complaint, or costochondral
CCI	Correct Coding Initiative
CCPD	continuous cycling peritoneal dialysis
CCT	cardiac computed tomography
CCU	critical care unit
C/D/I	clean/dry/intact (referring to incision)
CEA	carcinoembryonic antigen
CF	cystic fibrosis
CH	cholesterol
CHF	congestive heart failure
CIDA	chronic iron deficiency anemia
CIN	cervical intraepithelial neoplasia
Circ.	circumcision
CIS	carcinoma in situ
CISH	classic intrafascial supracervical hysterectomy
CL	central line
CLO	cleft lip only
CLP or CL/P	cleft lip and palate
cm	centimeter
cm ²	centimeters squared
CMC	carpometacarpal
CMG	cystometrogram
CMN	certificate of medical necessity
CMRI	cardiovascular magnetic resonance imaging
CMS	Centers for Medicare & Medicaid Services
CNAP	continuous negative airway pressure
CNS	central nervous system
cont.	continue
c/o	complains of
CO	cardiac output

COPD	chronic obstructive pulmonary disease	DIEP	deep inferior epigastric perforator flap
CP	cerebral palsy, or chest pain	DIF	direct immunofluorescence
CPD	cephalopelvic disproportion	DIP	distal interphalangeal
CPK	creatine phosphokinase	DISH	diffuse idiopathic skeletal hyperostosis
CPO	cleft palate only	DJD	degenerative joint disease
CPR	cardiopulmonary resuscitation	DKA	diabetic ketoacidosis
CR	creatine	DM	diabetes mellitus
CRF	chronic renal failure	DME	durable medical equipment
CRG	cardiorespirography	DMPA	depot medroxyprogesterone acetate (Depo Provera)
CRIT	hematocrit	DNR	do not resuscitate
CRP	canalith repositioning maneuver/procedure	DOA	dead on arrival
CRPS	complex regional pain syndrome	DOB	date of birth
C&S	culture and sensitivity	DOS	date of service
CS	corticosteroid, or cesarean section	DR	dorsal root
CSF	cerebrospinal fluid	DRUJ	distal radio-ulnar joint
CST	contraction stress test	Dsg	dressing
CT	computed tomography	DSMT	diabetes self-management training
CTR	carpal tunnel release	d/t	due to
CTS	carpal tunnel syndrome	DT	diphtheria and tetanus toxoids
Ctx	contractions	DTaP	diphtheria, tetanus toxoids, pertussis vaccine
CS	corticosteroid	DUB	dysfunctional uterine bleeding
CVA	cerebral vascular accident, or costovertebral angle	DVT	deep vein thrombosis
CVC	central venous catheter	Dx	diagnosis
CVL	central venous line	DX	diagnosis code
CVP	central venous pressure		
CVS	chorionic villus sampling		
CXR	chest x-ray		
Cysto	cystoscopy		

D

DB&C	deep breathing and coughing
D/C	discharge or discontinue
D&C	dilation and curettage
DDH	developmental dysplasia of hip
DE	dose equivalent
Def.	deficient or deficiency
Del	delivery
Dep.	dependent
DES	diethylstilbestrol
DEXA	dual energy x-ray absorptiometry
DIC	disseminated intravascular coagulation

E

EAB	elective abortion
EBCT	electron beam computed tomography
EBL	estimated blood loss
EC	emergency contraception
ECC	emergency cardiac care
ECCE	extracapsular cataract extraction
ECF	extended care facility, or extracellular fluid
ECG	electrocardiogram
ECHO	enterocytopathogenic human orphan virus, or echocardiogram
ECRB	extensor carpi radialis brevis
ECRL	extensor carpi radialis longus
ECU	extensor carpi ulnaris
ED	emergency department

EDC	extensor digitorum communis
EDD	estimated due date
EDP	end diastolic pressure
EEDP	enhanced external counter pulsation
EEG	electroencephalogram
EEM	external elastic membrane
EENT	eye, ear, nose and throat
EFW	estimated fetal weight
EGA	estimated gestational age
EGD	esophagogastroduodenoscopy
EKG	electrocardiogram
EL	electrolarynx
ELISA	enzyme-linked immunosorbent assay
E/M	evaluation and management
EMG	electromyography
Eng.	engorged
ENG	electronystagmography
EOB	explanation of benefits
EPB	extensor pollicis brevis
Epis	episiotomy
EPL	extensor pollicis longus
EPO	erythropoietin
EPS	electrophysical studies
EPSDT	early periodic screening, diagnosis and treatment
ERCP	endoscopic retrograde cholangiopancreatography
ESR	erythrocyte sedimentation rate
ESS	endoscopic sinus surgery
ESWL	extracorporeal shockwave lithotripsy
ET	endotracheal tube
EtOH	alcohol
ETT	exercise tolerance test
Ex-Fix	external fixation device
EXIT	ex utero intrapartum treatment

F

F	firm
FAS	fetal alcohol syndrome
FB	foreign body, or fingerbreadths
FBR	foreign body removal
FCR	flexor carpi radialis
FCU	flexor carpi ulnaris

FDP	flexor digitorum profundus
FDS	flexor digitorum superficialis
Fe	iron
FEES	fiberoptic endoscopic evaluation of swallowing
FEEST	fiberoptic endoscopic evaluation of swallowing with sensory testing
FESS	functional endoscopic sinus surgery
FH	family history, or fundal height
FHR	fetal heart rate
FHT	fetal heart tones
FL	fluid
FL	femur length, or face lift
Fluoro	fluoroscopic guidance
FM	fetal movement
FNA	fine needle aspiration
FNB	fine needle biopsy
FPL	flexor pollicis longus
FSE	fetal scalp electrode
FSH	follicle stimulating hormone
FTND	full term normal delivery
FTP	failure to progress
FTSG	full thickness skin graft
FTT	failure to thrive
F/U	follow up
FUO	fever with an unknown origin
Fx	fracture

G

GA	gestational age
GDM	gestational diabetes mellitus
GERD	gastroesophageal reflux disease
GI	gastrointestinal
GIB	gastrointestinal bleed
GIFT	gamete intrafallopian transfer
Grav	number of pregnancies
Gsw	gunshot wound
G tube	gastrostomy tube
Gt./ggt.	drop/drops
GU	genitourinary
Gu	guaic

H

HAA	hepatitis antigen B
HAAb	hepatitis antibody A
HaAg	hepatitis antigen A
HAV	hepatitis A virus
HB	headbox or hepatitis B
HBcAg	hepatitis antigen B
HBsAb	hepatitis surface antibody B
HBO	hyperbaric oxygen
HC	hydrocodone or head circumference
HCM	hypertrophic cardiomyopathy
HBP	high blood pressure
hCG	human chorionic gonadotropin
Hct	hematocrit
HELLP	hemolysis, elevated liver enzymes, low platelets syndrome
Hg/Hgb	hemoglobin
Hib	hemophilus influenza b vaccine
HIV	human immunodeficiency virus
HLV	herpes-like virus
HNAD	hyperosmolar nonacidotic diabetes
HNP	herniated nucleus pulposus
HOCM	hypertrophic obstructive cardiomyopathy
HORF	high output renal failure
H&P	history and physical
HPI	history of present illness
HPV	human papilloma virus
HR	heart rate
HSG	hysterosalpingogram
HSV	herpes simplex virus
HTN	hypertension
Hx	history

I

IA	intra-articular
IABP	intra-aortic balloon pump
IBD	inflammatory bowel disease
IBS	irritable bowel syndrome

IBW	ideal body weight
ICD	implantable cardioverter defibrillator
ICF	intermediate care facility
ICP	intracranial pressure
ICSI	intra-cytoplasmic sperm injection
ICU	intensive care unit
ID	infectious diseases
I&D	incision and drainage
IDDM	insulin-dependent diabetes mellitus
IDET	intradiscal electrothermal therapy
IGAP	inferior gluteal artery perforator free flap
IM	intramuscular
Inc.	incision
INF	inferior or infusion
INJ	injection
I/O	inner/outer
IOP	intraocular pressure
IP	interphalangeal
IPPB	intermittent positive pressure breathing
IR	interventional radiology
ITB	iliotibial band
ITT	internal tibial torsion
IUP	intrauterine pregnancy
IUPC	intrauterine pressure catheter
IV	intravenous
IVDU	intravenous drug user
IVF	in vitro fertilization, or intravenous fluid
IVP	intravenous pyelogram
IVS	intra-vaginal slingplasty

J-K

J tube	jejunostomy tube
K	potassium
KCL	potassium chloride
KOH	potassium hydroxide (for microscopic diagnosis of yeast)
KUB	kidneys, ureters, bladder
KVO/TKVO	keep vein open/to keep vein open

L

L&A	light and accommodation
L&D	labor and delivery
LAD	left anterior descending
LAP	laparotomy, or laparoscopy
LASH	laparoscopic supracervical hysterectomy
LAVH	laparoscopic assisted vaginal hysterectomy
LBBB	left bundle branch block
LCA	left coronary artery
LCL	lateral collateral release
LDL	low density lipoprotein
LEEP	loop electrocautery excision procedure
LEETZ	loop electrode excision of the transformation zone
LFT	liver function test
LFVD	low forceps vaginal delivery
LGA	large for gestational age
LGSIL	low-grade squamous intraepithelial lesion
LHF	left heart failure
LITHO	lithotripsy
LKS	liver, kidneys, spleen
LLQ	left lower quadrant
LMLE	left mediolateral episiotomy
LMP	last menstrual period
LMS	left mentum anterior position (chin)
LMT	left mentum transverse position
LOA	leave of absence, or lysis of adhesions
LOF	leakage of fluid
LP	lumbar puncture
LPR	laryngopharyngeal reflux
LR	lateral release
L/S	laparoscopy
LS	lumbosacral
LSC	left subclavian
LSTL	laparoscopic tubal ligation
LTCS	low transverse cesarean section
LUQ	left upper quadrant
LV	left ventricle
LVEF	left ventricular ejection fraction

M

MAB	missed abortion
MAP	mean arterial pressure
MAR	medication record
MCL	medial collateral ligament, midclavicular line, or modified chest lead
MCP	metacarpophalangeal
MCV	mean corpuscular volume
MD	manic depression, muscular dystrophy, or myocardial disease
MDD	manic depressive disorder
Mec	meconium
MFVD	mid-forceps vaginal delivery
MgSO ₄	magnesium sulfate
MI	myocardial infarction
MIS	minimally invasive surgery
ML	midline
MLE	midline episiotomy
MMK	Marshall-Marchetti-Krantz procedure
MMPI	Minnesota Multiphasic Personality Inventory
MMRV	measles, mumps, rubella vaccine
MNT	medical nutrition therapy
MR	mitral regurgitation
MRI	magnetic resonance imaging
MRM	modified radical mastectomy
MRSA	methicillin-resistant staphylococcus aureus infection
MS	multiple sclerosis or morphine
MSAFP	maternal serum alpha-fetoprotein
MTP	metatarsophalangeal
multip.	pregnant woman who has more than one child
multipara	pregnant woman who has more than one child
MV	multivitamin
MVD	mitral valve disease
MVP	mitral valve prolapse

N

Na	sodium
NaCl	sodium chloride
NCS	nerve conduction study
NEC	not elsewhere classified
NG	nasogastric
NICU	neonatal intensive care unit
NIDDM	noninsulin dependent diabetes
NKA	no known allergies
NKDA	no known drug allergies
NKFA	no known food allergies
NKMA	no known medical allergies
NOS	not otherwise specified
NP	neuropsychiatry, or nurse practitioner
NP-CPAP	nasopharyngeal continuous positive airway pressure
n.p.o.	nothing by mouth
NS	normal saline
NSAID	nonsteroidal anti-inflammatory drug
NSD	nasal septal deviation
NSR	normal sinus rhythm (RSR is more common)
NST	non-stress test
NSVB	normal spontaneous vaginal bleeding
N/V	nausea/vomiting
NYD	not yet diagnosed

O

OA	osteoarthritis
OATS	osteochondral autograft transfer system
OCD	obsessive compulsive disorder, or osteochondritis dissecans
OC	oral contraceptive pills, open crib, or office call
O.D.	right eye
o/e	on exam (OP more common)
OM	otitis media, osteomyelitis, or every morning
O.N.	every night
OPV	oral polio vaccine
ORIF	open reduction internal fixation
O.S.	left eye

OSA	obstructive sleep apnea
OST	oxytocin stress test
OT	occupational therapy
OTC	over the counter

P

PA	physician assistant, posteroanterior, or pulmonary artery
PAB	premature atrial beats
PACU	postanesthesia care unit
PAD	pulmonary artery diastolic
PAP	Papanicolaou smear, or pulmonary artery pressure
PARR	post-anesthesia recovery room
PAT	paroxysmal atrial tachycardia
Path	pathology
p.c.	after eating
PCA	patient-controlled anesthesia
PCL	posterior cruciate ligament
PCN	penicillin
PCOS	polycystic ovarian syndrome
PCP	primary care physician
PCTA	percutaneous transluminal angioplasty
PCV	pneumococcal conjugate vaccine, or packed cell volume
PDA	patent ductus arteriosus
PE	physician examination
PEDS	Parent Evaluation of Developmental Status
PEG	percutaneous gastrostomy
PEN	parenteral and enteral nutrition
PENS	percutaneous electrical nerve stimulation
PERRLA	pupils equal, regular, reactive to light and accommodation
PET	positron emission tomography
PFO	patent foramen ovale
PFSH	past, family and social history
PFT	pulmonary function test
PG	prostaglandin
PGD	pre-implantation genetic diagnosis
PH	past history
PI	present illness

PICC	peripherally inserted central catheter
PID	pelvic inflammatory disease
PIP	proximal interphalangeal
Pit	Pitocin (brand of oxytocin)
PKR	partial knee replacement
PKU	phenylketonuria
PLIF	posterior lumbar interbody fusion
PMHx	past medical history
PMS	premenstrual syndrome
PNB	percutaneous needle biopsy
PND	paroxysmal nocturnal dyspnea, or postnasal drip
PO	postoperative, or by mouth
POF	premature ovarian failure
POL	preterm onset of labor
POS	place of service
Pos.	positive
PP	postpartum
PPD	purified protein derivative (of tuberculin)
PPH	postpartum hemorrhage
Ppm	permanent pacemaker
PPROM	preterm premature rupture of membranes
PPTL	postpartum tubal ligation
Primip	woman having her first child (primipara)
PROM	premature rupture of membranes
PSA	prostate specific antigen
PSURG	plastic surgery
Pt	patient
PT	physical therapy
PTA	percutaneous transluminal angioplasty
PTCA	percutaneous transluminal coronary angioplasty
PTL	preterm labor
PTVP	percutaneous transluminal valvuloplasty
PUPPP	pruritic urticarial papules and plaques of pregnancy
PVC	premature ventricular contractions
PVD	peripheral vascular disease
Px	prognosis

Q

Q.	every
Q2H	every two hours
QAM	every morning
QD	every day
QH	every hour
QHS	every night
QID	four times daily
QN	every night
QNS	quantity not sufficient
QOD	every other day
QQH	every four hours
QS	quantity sufficient

R

RA	rheumatoid arthritis
RAST	radioallergosorbent tests
RBB	right bundle branch
RBBB	right bundle branch block
RBC	red blood cell
RCA	right coronary artery
RCL	radial collateral ligament
RCR	rotator cuff repair
RCT	rotator cuff tear
REM	rapid eye movement
Rh	Rhesus
RHF	right heart failure
Rh neg	Rhesus factor negative
RICE	rest, ice, compression, elevation
RLD	ruptured lumbar disk
RLQ	right lower quadrant
RNA	ribonucleic acid
R/O	rule out
ROM	range of motion
ROS	review of systems
RSD	reflex sympathetic dystrophy
RSO	right salpingo-oophorectomy

RSV	respiratory syncytial virus
RUQ	right upper quadrant
RVG	radionuclide ventriculogram
RVU	relative value unit
Rx	treatment or prescription
RxN	reaction

S

SA	sexually active, or sperm analysis
SAB	spontaneous abortion
SAD	subacromial decompression
SAH	subarachnoid hemorrhage
SALT	serum alanine aminotransferase
SAS	subaortic stenosis
SAST	serum aspartate aminotransferase
SB	spina bifida, or sinus bradycardia
SBE	self breast exam
SBFT	small bowel follow through
SC	subcutaneous
SCD	sudden cardiac death
SCJ	squamocolumnar junction of cervix
SF	spinal fluid
SG	swan-ganz
SGA	small for gestational age
SH	social history
SI	sacroiliac
SIADH	syndrome of inappropriate antidiuretic hormone
SIC	subsequent intensive care
SIEA	superficial inferior epigastric artery flap
Sine	without
SIS	saline infusion sonohysterography
S.L.	under the tongue or sublingual
SLAP	superior labral anterior-posterior
SLE	systemic lupus erythematosus
SMAS	superficial musculoaponeurotic system
SMR	submucous resection
SMRR	submucous resection and rhinoplasty
SNF	skilled nursing facility
SOAP	subjective objective assessment plan
SOB	shortness of breath
SOBOE	short of breath on exertion

SOOF	suborbicularis oculi fat
S/P	status post
SPROM	spontaneous premature rupture of membranes
SQ	subcutaneous
SROM	spontaneous rupture of membranes
Ss	half
SSE	sterile speculum examination
ST	sinus tachycardia
Staph	staphylococcus
Stat	immediately
STD	sexually transmitted disease
STH	somatotrophic hormone
Strep	streptococcus
STS	serology test for syphilis
STSG	split thickness skin graft
subq, subcu	subcutaneous
Supp	suppository
Sx	sign or symptom
SX	surgery or symptom

T

T	temperature, tender, or thoracic vertebrae
T3	triiodothyronine
T4	thyroxine
T&A	tonsillectomy and adenoidectomy
TAB	therapeutic abortion
TAH	total abdominal hysterectomy
TASPA	transaxillary subpectoral augmentation
TB	tuberculosis or tubercule bacillus
TBSA	total body surface area
TCA	trichloroacetic acid (chemical peel)
Td	tetanus and diphtheria
TEE	transesophageal echocardiogram
TENS	transcutaneous electrical nerve stimulation
TGV	transposition of great vessels
THR	total hip replacement
TIA	transient ischemic attack
TID	three times a day
TKA	total knee arthroplasty (replacement)
TKR	total knee replacement
TLIF	transverse lumbar interbody fusion

TMJ	temporomandibular joint
TMT	tarsometatarsal
TNS	transcutaneous nerve stimulator
TOA	tubo-ovarian abscess
TORCH	toxoplasmosis, other (including syphilis), rubella, cytomegalovirus and herpes virus
TOT	transobturator tape
TPN	total parenteral nutrition
TRAM	transverse rectus abdominis myocutaneous flap
TRAP	twin reversal arterial perfusion
TSE	testicular self-exam
TSS	toxic shock syndrome
TT	tummy tuck
TTTS	twin-twin transfusion syndrome
TUIBN	transurethral incision of bladder neck
TUIP	transurethral incision of prostate
TULIP	transurethral ultrasound guided laser-induced prostatectomy
TUNA	transurethral needle ablation
TUR	transurethral resection
TURB	transurethral resection of bladder
TURP	transurethral resection of prostate
TVF	target vessel failure
TVH	total vaginal hysterectomy
TVR	target vessel revascularization
TVT	tension-free vaginal tape
Tx	treatment or transplant

U

U/A	urinalysis
UAC	umbilical artery catheter
UAL	ultrasonic assisted lipoplasty
U&C	usual and customary
UD	urodynamics
UFE	uterine fibroid embolization
UFR	uroflowmetry
UGI	upper gastrointestinal
UKR	unicondylar knee replacement
U/L	upper/lower
UPP	urethra pressure profile
UPPP	uvulopalatopharyngoplasty

Ur.	urine
URI	upper respiratory infection
US	ultrasound
UTI	urinary tract infection
UV	ultraviolet light
UVC	umbilical vein catheter

V

VA	video arthroscopy
VAC or VAD	vacuum assisted drainage collection
VAIN	vaginal intraepithelial neoplasm
VB	vaginal bleeding
VBAC	vaginal birth after cesarean
VC	vena cava
VERP	ventricular effective refractory period
VF	ventricular fibrillation
VFC	Vaccines For Children program
VH	vaginal hysterectomy
VIN	vulvar intraepithelial neoplasm
VIS	vaccine information statement
VLBW	very low birth weight
Vmca	middle cerebral artery flow velocity
VO	verbal order
VP	vasopressin or voiding pressure
VS	vital signs
VSSA	vital signs stable afebrile
Vtx	vertex presentation

W-Z

WBC	white blood count
WDWN	well developed, well nourished
WNL	within normal limits
WPW	Wolff-Parkinson-White Syndrome
WWE	well-woman examination
y.o.	year old
ZIFT	zygote intrafallopian transfer

The Coding Institute & Eli Healthcare Newsletter Discount Order Form



I want to receive timely, hard-hitting advice on how to improve our bottom line and stay on top of regulatory developments. Please enter my subscription(s) as indicated below. I understand that I am completely protected by your 100% Satisfaction Money-Back Guarantee, if I am ever not entirely satisfied.

Specialty-Specific Coding Alert Newsletters	List Price	Discount	You Pay
Anesthesia & Pain Management Coding Alert	\$427	\$100	\$327
Ambulatory Coding & Payment Report	\$497	\$100	\$397
Cardiology Coding Alert	\$397	\$100	\$297
Clinical Coding & Reimbursement	\$437	\$100	\$337
ED Coding Alert	\$487	\$100	\$387
Family Practice Coding Alert	\$377	\$100	\$277
Gastroenterology Coding Alert	\$397	\$100	\$297
General Surgery Coding Alert	\$427	\$100	\$327
Internal Medicine Coding Alert	\$342	\$100	\$242
Medical Office Billing & Collections Alert	\$399	\$100	\$299
Neurology Coding Alert	\$847	\$100	\$747
Neurosurgery Coding Alert	\$767	\$100	\$667
Ob-Gyn Coding Alert	\$397	\$100	\$297
Oncology Coding Alert	\$647	\$100	\$547
Ophthalmology Coding Alert	\$397	\$100	\$297
Optometry Coding & Billing Alert	\$397	\$100	\$297
Orthopedic Coding Alert	\$427	\$100	\$327
Otolaryngology Coding Alert	\$397	\$100	\$297
Pathology/Lab Coding Alert	\$527	\$100	\$427
Part B Insider	\$549	\$100	\$449
Pediatric Coding Alert	\$327	\$100	\$227
Physical Medicine & Rehab Coding Alert	\$437	\$100	\$337
Pulmonology Coding Alert	\$397	\$100	\$297
Radiology Coding Alert	\$417	\$100	\$317
Urology Coding Alert	\$357	\$100	\$257

Eli Healthcare Newsletters	List Price	Discount	You Pay
Eli's Home Care Week	\$547	\$100	\$447
Health Information Compliance Alert	\$497	\$100	\$397
Home Health ICD-9 Alert	\$397	\$100	\$297
Long-Term Care Report	\$497	\$100	\$397
Medicare Compliance Week	\$649	\$100	\$549
MDS Alert	\$547	\$100	\$447
Eli's OASIS Alert	\$447	\$100	\$347
Outpatient Physical Therapy Coding & Billing Alert	\$257	\$100	\$157
Eli's Rehab Report	\$547	\$100	\$447
Long-Term Care Survey Alert	\$527	\$100	\$427
SNF ICD-9 Alert	\$347	\$100	\$247
Managed Care Report	\$649	\$100	\$549
Medicine & Health	\$1,087	\$100	\$987
Medicare Legislation & Regulation	\$649	\$100	\$549
Part D Insider	\$297	\$100	\$197



Subtotal of all Newsletters:	\$
Shipping and Handling:	\$ 6.60
GRAND TOTAL:	\$

Payment Information

Contact Information:

Name: _____
 Title: _____
 Facility: _____
 Address: _____
 City: _____
 State: _____ ZIP: _____
 Phone: _____
 Fax: _____
 Email: _____

(Please print all requested information)

Payment Method:

- Check enclosed (payable to The Coding Institute)
- Renew my current subscription(s) at the discounted rate above
- Charge me \$ _____ Visa Mastercard AmEx Discover
 Acct. #: _____ Exp. date: ____/____/____
 Signature: _____
- Bill me at the address to the right \$ _____; my PO #: _____

Version Option:

- Print Online* (Please supply your email address)
- Both * (Please add \$20 to receive both versions)

Email: _____